



कयर बोर्ड COIR BOARD

सूक्ष्म, लघु और मध्यम उद्यम मंत्रालय, (भारत सरकार)
Ministry of Micro, Small and Medium Enterprises,
(Government of India)

केन्द्रीय कयर अनुसंधान संस्थान
CENTRAL COIR RESEARCH INSTITUTE

कलवूर पी.ओ.
पिन - 688522.
आलपुषा जिल्ला

Kalavoor P.O
Pin - 688522.
Alleppey Dist
☎. 0477 2258094
2258480, 2258304
Fax-0477 2258415
Email. ccricoirboard@gmail.com
ccrikalavoor@gmail.com
www.ccriindia.org

CCRI/2018/SP/4/7

10012

03.04.2019

QUOTATION NOTICE

Competitive quotations in sealed covers are invited for the Annual Maintenance Contract of UPS for a period of one year at CCRI, Coir Board Complex, Kalavoor, Alapuzha as per specification given below. The sealed quotation should be superscribed **“Quotation for AMC of UPS for a period of one year at CCRI, Coir Board Complex, Kalavoor, Alapuzha”**.

Sl. No	Specification	Quantity	Unit price Rate inclusive of all incidentals
1	30KVA On-line UPS Input- 415V AC, Battery -240V DC make –Techser (Sl.No-2009-05-022)	1 No.	
2	10KVA On-line UPS Input- 230V AC 1, Battery-180V DC Make-Techser (Sl.No-2009-05-019)	1 No.	
3	30KVA On-line UPS Input- 415V AC 3, Battery-240V DC Make-Techser (Sl.No-2009-05-021)	1 No.	
4	10KVA On-line UPS Input- 230V AC, Battery-180V DC Make-Techser (Sl.No-2009-05-018)	1 No.	
5	6KVA On-line UPS Input- 230V AC, Battery-120V DC Make-Techser (Sl.No-2009-05-016)	1 No.	

The quotations should reach the undersigned on or before 24.04.2019 at 3 00 PM and it will be opened on the same day at 3.30 PM in presence of bidders if any present. The Secretary, Coir Board reserves the right to accept or reject any quotation in full or partly without assigning any reason thereof. The terms and conditions governing the quotation are given overleaf.


DIRECTOR, RDTE

TERMS & CONDITIONS

- 1 The quotation documents and other details either can be had from the Office of the Director, RDTE, Central Coir Research Institute, Kalavoor-688 522, Alleppey, Kerala State, India PhoneNo.0477-2258094, 2258480 or can be downloaded from the Board's website www.ccriindia.org.
- 2 All quotations must be submitted in duplicate to the DIRECTOR, R.D.T.E., Central Coir Research Institute, Kalavoor-688 522, Alleppey, Kerala State, India PhoneNo.0477-2258094, 2258480, in the prescribed form attached to this quotation notice and the rate quoted should be for the specified unit for each item for delivery at CCRI as per the instruction in the order to be placed on acceptance of the quotation. Further details if any required regarding specification, can be had from Central Coir Research Institute, Kalavoor-688 522, Alleppey, Kerala State, India PhoneNo.0477- 2258480, 2258094.
- 3 The quotation should be submitted so as to reach this office on or before the date specified.
- 4 The rate quoted will hold good for 60 days from the date of the quotation.
- 5 Item quoted should be standard make/brand manufactured by reputed firm.
- 6 All deliveries are to be made at Board's office CCRI, Kalavoor, Alappuzha-688 522.
- 7 In case the Quotationer fails to effect supply of the item within the stipulated time or fails to fulfill the conditions for the supply of the item or in any other manner refrain from effecting the supply shall be liable to pay compensation to the Board for the loss or inconveniences caused thereby.
- 8 Failure to give delivery of the item within the period stipulated in the supply order will render the order liable to be cancelled without notice.
- 9 Failure to supply the item as required will render them liable for removal from the list of suppliers considered for issuing quotation notice from this office.
- 10 The bill in duplicate together with a pre-stamped receipt should be furnished to this office for arranging payment after supply of the items in good condition.
- 11 The Secretary, Coir Board reserves the right to accept or reject any quotation without assigning any reasons, whatsoever.
- 12 Excise duty, sales tax and other levies applicable such as additional taxes, surcharge on taxes and incidental if any should be separately indicated in the quotation. This office does not have 'C' or 'D' form.