



कयर बोर्ड COIR BOARD

सूक्ष्म, लघु और मध्यम उद्यम मंत्रालय, (भारत सरकार)
Ministry of Micro, Small and Medium Enterprises,
(Government of India)

केन्द्रीय कयर अनुसंधान संस्थान
CENTRAL COIR RESEARCH INSTITUTE

कलवूर पी.ओ.
पिन - 688522.
आलपुषा जिल्ला

Kalavoor P.O
Pin - 688522.
Alleppey Dist
☎. 0477 2258094
2258480, 2258304
Fax-0477 2258415
Email. ccri.coirboard@gmail.com
ccrikalavoor@gmail.com
www.ccriindia.org

CCRI/2018/SP/4/10

30.07.2018

QUOTATION NOTICE

Competitive sealed quotations in two cover system are invited for the supply of **Laboratory Equipments** for CCRI as per specification given below: The sealed quotations should be superscribed "**Quotation for the supply of Laboratory Equipments for Microbiology Department at CCRI**"

SI. No.	Description/ Specifications	Qty	Unit price Rate inclusive of all incidentals such as tax & delivery charges	Amount
1	Moisture Analyzer Specifications <ul style="list-style-type: none">• Repeatability: +/-0.05% / +/-0.015%• Drying Chamber Dimensions: 3.5"• Moisture Measurement Repeatability: 0.050% to 0.015%• Pan Dimensions: 3.50" dia.• Special Features: TFT Color Touch screen Display• Moisture Measurement Accuracy: 0.01%• Sampling Time: 1 to 480 min.• Includes: Sample pan, in use cover, sample pan handler• Readability: 0.01%/0.001gr• Scale Dimensions: 8.30" 7.70" 14.00"• Max. Drying Temp.: 40 Degrees to 200 Degrees C• Max. Capacity: 120g• Drying Power: Halogen.	1 No		

2	<p>Light Meter</p> <p><u>Specifications</u></p> <ul style="list-style-type: none"> •Display: 3 1/2 digit 18mm (0.7") LCD •Ranges: 1 to 50,000 LUX •Over-input: indication of " 1 " •Sampling Time: 0.5 second •Repeatability: ±2% •Temperature Characteristic: ±0.1%/? •Accuracy: ±4%rdg ±0.5%f.s(±5%rdg ±10dgt as>10,000Lux range) •Dimension: 116×70×29mm •Weight: approx.200g (including battery) •Operating Humidity: less than 70%R.H. •Operating temperature: 0?to 40?(32?to 104?) •Data-Hold function for holding measuring values 	1 No	
	<p>pH Meter</p> <p><u>Specifications</u></p> <ul style="list-style-type: none"> • Instrument Type - Deluxe pH Meter MODEL # 151-R • Measurement -PH & ORP • Display -Digit LED • Range Resolution -0 -14.00pH 0 ± 1999 mv0.01 pH,1mV • Accuracy -+ 0.01 pH, + 1mV • Temperature Compensation- Auto + Manual 0to100°C • Slope Control -80 to 120% • Recorder Output -0to10mV/pH Adjustable • Power Requirement -220 VAC +10% 50 Hz. 	1 No	
4.	<p>Temperature Humidity Tester</p> <p><u>Specifications</u></p> <ul style="list-style-type: none"> ◆ Double Walled ◆ Inner SS - Outer GI ◆ 3" Gap Puf/Glass Wool Insulation ◆ Full length inner polycarbonate or acrylic door for clear inner view ◆ Outer metal door with Magnetic Gasket & Lock ◆ Forced air circulation for uniform temperature throughout the chamber ◆ Dual preset electronic Digital Temperature Controller Cum Indicator ◆ Temperature Range : 5°C above ambient to 70°C ± 1°C ◆ Humidity Range from atmospheric humidity to 92% Rh 	1 No	

- | | | | |
|---|--|--|--|
| <ul style="list-style-type: none">◆ Controlled by Digital Display Controller (Direct RH Indicator) $\pm 3\%$ Rh◆ Attractive design and excellent accuracy◆ Thermal validation prior to dispatch◆ Data logging facility with uniquely designed software. | | | |
|---|--|--|--|

The quotations should reach the undersigned on or before 21.08.2018 at 3.00 PM and it will be opened on 21.08.2018 at 4.00 PM in presence of bidders if any present. Earnest Money Deposit of ₹ 1000/- should be accompanied along with the quotation. The EMD should be submitted by crossed Demand Draft in favour of The Secretary, Coir Board, payable at Pathirappally, Alappuzha. The Secretary, Coir Board reserves the right to accept or reject any quotation in full or partly without assigning any reason thereof. The terms and conditions governing the quotation are given overleaf.



DIRECTOR, RDTE

TERMS & CONDITIONS

1. The quotation documents and other details either can be had from the Office of the Director, RDTE, Central Coir Research Institute, Kalavoor-688 522, Alleppey, Kerala State, India PhoneNo.0477-2258094, 2258480 or can be downloaded from the Board's website www.ccriindia.org.
2. All quotations must be submitted in duplicate to the DIRECTOR, R.D.T.E., Central Coir Research Institute, Kalavoor-688 522, Alleppey, Kerala State, India PhoneNo.0477-2258094, 2258480, in the prescribed form attached to this quotation notice and the rate quoted should be for the specified unit for each item for delivery at CCRI as per the instruction in the order to be placed on acceptance of the quotation. Further details if any required regarding specification, can be had from Central Coir Research Institute, Kalavoor-688 522, Alleppey, Kerala State, India PhoneNo.0477- 2258480, 2258094.
3. The quotation should be submitted so as to reach this office on or before the date specified.
4. **DOCUMENTS COMPRISING QUOTATION**

This Quotation consists of two parts - Technical Bid (First Stage) and Commercial Bid or Price Bid (Second stage).

 - a. Technical Bid (First Stage) : The technical bid prepared by Tenderers shall be labeled "FIRST STAGE TENDER". It shall contain 2 parts. 'A' part and B' part. The 'A' part is pertaining to the details of the Manufacturer. The 'B' part is pertaining to the details of the Batteries with complete description and services the Tenderer intends to provide and shall comprise the following:
 - I. Supply of Equipments
 - II. Period of warranty with replacement of spares. (Minimum 1 year)
 - III. Warranty should be extended on expiry of the said warranty and rate for the warranty extension should be quoted separately
 - IV. Warranty starts only after installation and commissioning of the machine
 - V. Details of EMD/Valid NSIC certificates.
 - b. Commercial bid or Price bid (Second Stage): The second stage tender covers the price aspect of the equipments. The price of the equipments should be inclusive of transportation, after sale service and all type of taxes. The format of the commercial bid is given in Annexure-3. The prices should be for "F.O.R.SITE" at Central Coir Research Institute, Kalavoor P.O, Alappuzha-6885 522
5. The rate quoted will hold good for 60 days from the date of the quotation.
6. Item quoted should be standard make/brand manufactured by reputed firm.
7. All deliveries are to be made at Board's office CCRI, Kalavoor, Alappuzha-688 522.

8. In case the Quotationer fails to effect supply of the item within the stipulated time or fails to fulfill the conditions for the supply of the item or in any other manner refrain from effecting the supply shall be liable to pay compensation to the Board for the loss or inconveniences caused thereby.
9. Failure to give delivery of the item within the period stipulated in the supply order will render the order liable to be cancelled without notice.
10. Quotation without the EMD will not be considered.
11. SSI Unit having valid registration with NSIC is exempted for payment of EMD.
12. Failure to supply the item as required will render them liable for removal from the list of suppliers considered for issuing quotation notice from this office.
13. The bill in duplicate together with a pre-stamped receipt should be furnished to this office for arranging payment after supply of the items in good condition.
14. The Secretary, Coir Board reserves the right to accept or reject any quotation without assigning any reasons, whatsoever.
15. Excise duty, sales tax and other levies applicable such as additional taxes, surcharge on taxes and incidental if any should be separately indicated in the quotation. This office does not have 'C' or 'D' form.